

# Anti-RAB26 Antibody

Rabbit polyclonal antibody to RAB26  
Catalog # AP59825

## Product Information

---

|                          |                        |
|--------------------------|------------------------|
| <b>Application</b>       | WB                     |
| <b>Primary Accession</b> | <a href="#">Q9ULW5</a> |
| <b>Reactivity</b>        | Human, Mouse, Rat      |
| <b>Host</b>              | Rabbit                 |
| <b>Clonality</b>         | Polyclonal             |
| <b>Calculated MW</b>     | 27900                  |

## Additional Information

---

|                           |  |
|---------------------------|--|
| <b>Gene ID</b>            | 25837  |
| <b>Other Names</b>        | Ras-related protein Rab-26   |
| <b>Target/Specificity</b> | KLH-conjugated synthetic peptide encompassing a sequence within the C-term region of human RAB26. The exact sequence is proprietary. |
| <b>Dilution</b>           | WB~~WB (1/500 - 1/1000)  |
| <b>Format</b>             | Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.09% (W/V) sodium azide.                      |
| <b>Storage</b>            | Store at -20 °C. Stable for 12 months from date of receipt   |

## Protein Information

---


|                          |  |
|--------------------------|--|
| <b>Name</b>              | RAB26 ( <a href="#">HGNC:14259</a> )   |
| <b>Function</b>          | The small GTPases Rab are key regulators of intracellular membrane trafficking, from the formation of transport vesicles to their fusion with membranes. Rabs cycle between an inactive GDP-bound form and an active GTP-bound form that is able to recruit to membranes different set of downstream effectors directly responsible for vesicle formation, movement, tethering and fusion (By similarity). RAB26 mediates transport of ADRA2A and ADRA2B from the Golgi to the cell membrane (PubMed: <a href="#">23105096</a> ). Plays a role in the maturation of zymogenic granules and in pepsinogen secretion in the stomach (PubMed: <a href="#">20038531</a> ). Plays a role in the secretion of amylase from acinar granules in the parotid gland (By similarity). |
| <b>Cellular Location</b> | Golgi apparatus membrane; Lipid-anchor; Cytoplasmic side. Cytoplasmic vesicle, secretory vesicle membrane; Lipid-anchor; Cytoplasmic side. Note=Not localized at the plasma membrane (By similarity). Inhibition of S-geranylgeranyl cysteine formation abolishes membrane location.   |

|                        |                                   |
|------------------------|-----------------------------------|
| <b>Tissue Location</b> | Predominantly expressed in brain. |
|------------------------|-----------------------------------|

## Background

KLH-conjugated synthetic peptide encompassing a sequence within the C-term region of human RAB26. The exact sequence is proprietary.

## Images



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.