10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

Anti-CD247 Antibody

Rabbit polyclonal antibody to CD247
Catalog # AP60239

Product Information

Application	WB
Primary Accession	P20963
Other Accession	P24161
Reactivity	Human, Mouse, Rat, Rabbit, Monkey, Pig
Host	Rabbit
Clonality	Polyclonal
Calculated MW	18696

Additional Information

Gene ID	919
Other Names	CD3Z; T3Z; TCRZ; T-cell surface glycoprotein CD3 zeta chain; T-cell receptor T3 zeta chain; CD247
Target/Specificity	Recognizes endogenous levels of CD247 protein.
Dilution	WB~~WB (1/500 - 1/1000)
Format	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.09% (W/V) sodium azide.
Storage	Store at -20 °C.Stable for 12 months from date of receipt

Protein Information

Name	CD247
Synonyms	CD3Z, T3Z, TCRZ
Function	Part of the TCR-CD3 complex present on T-lymphocyte cell surface that plays an essential role in adaptive immune response. When antigen presenting cells (APCs) activate T-cell receptor (TCR), TCR- mediated signals are transmitted across the cell membrane by the CD3 chains CD3D, CD3E, CD3G and CD3Z. All CD3 chains contain immunoreceptor tyrosine-based activation motifs (ITAMs) in their cytoplasmic domain. Upon TCR engagement, these motifs become phosphorylated by Src family protein tyrosine kinases LCK and FYN, resulting in the activation of downstream signaling pathways (PubMed:1384049, PubMed:1385158, PubMed:2470098, PubMed:7509083). CD3Z ITAMs phosphorylation creates multiple docking sites for the protein kinase ZAP70 leading to ZAP70 phosphorylation and its conversion into a catalytically active enzyme (PubMed:7509083). Plays an important role in intrathymic T-cell

	differentiation. Additionally, participates in the activity-dependent synapse formation of retinal ganglion cells (RGCs) in both the retina and dorsal lateral geniculate nucleus (dLGN) (By similarity).
Cellular Location	Cell membrane {ECO:0000250|UniProtKB:P24161}; Single-pass type I membrane protein
Tissue Location	CD3Z is expressed in normal lymphoid tissue and in peripheral blood mononuclear cells (PBMCs) (PubMed:11722641)

Background

KLH-conjugated synthetic peptide encompassing a sequence within the center region of human CD247. The exact sequence is proprietary.

Images



Western blot analysis of CD247 expression in H1792 (A), mouse spleen (B), rat liver (C), rat spleen (D) whole cell lysates.