

Anti-CD144 Antibody

Rabbit polyclonal antibody to CD144 Catalog # AP61383

Product Information

Application	WB, IHC
Primary Accession	<u>P33151</u>
Other Accession	<u>P55284</u>
Reactivity	Human, Mouse, Chicken, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	87528

Additional Information

Gene ID	1003
Other Names	Cadherin-5; 7B4 antigen; Vascular endothelial cadherin; VE-cadherin; CD144
Target/Specificity	Recognizes endogenous levels of CD144 protein.
Dilution	WB~~WB (1/500 - 1/1000), IHC (1/50 - 1/200) IHC~~WB (1/500 - 1/1000), IHC (1/50 - 1/200)
Format	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.09% (W/V) sodium azide.
Storage	Store at -20 °C.Stable for 12 months from date of receipt

Protein Information

Name CDH5 (HGN	<u>C:1764</u>)
preferentially cells; cadheri types (PubMe endothelial c the intercellu forming a lin coupling acti junctional co concert with cell polarity a recruitment a (PubMed:203	re calcium-dependent cell adhesion proteins (By similarity). They y interact with themselves in a homophilic manner in connecting ins may thus contribute to the sorting of heterogeneous cell ed: <u>21269602</u>). This cadherin may play a important role in ell biology through control of the cohesion and organization of ular junctions (By similarity). It associates with alpha-catenin k to the cytoskeleton (PubMed: <u>10861224</u>). Plays a role in n fibers to cell junctions in endothelial cells, via acting as a cell mplex anchor for AMOTL2 and MAGI1 (By similarity). Acts in KRIT1 and PALS1 to establish and maintain correct endothelial and vascular lumen (By similarity). These effects are mediated by and activation of the Par polarity complex and RAP1B <u>832120</u>). Required for activation of PRKCZ and for the localization ylated PRKCZ, PARD3, TIAM1 and RAP1B to the cell junction

	(PubMed: <u>20332120</u>). Associates with CTNND1/p120-catenin to control CADH5 endocytosis (By similarity).
Cellular Location	Cell junction, adherens junction. Cell membrane; Single-pass type I membrane protein. Cytoplasm {ECO:0000250 UniProtKB:P55284}. Note=Found at cell-cell boundaries and probably at cell-matrix boundaries. KRIT1 and CDH5 reciprocally regulate their localization to endothelial cell-cell junctions
Tissue Location	Expressed in endothelial cells (at protein level) (PubMed:27338829). Expressed in the brain (PubMed:2059658)

Background

KLH-conjugated synthetic peptide encompassing a sequence within the C-term region of human CD144. The exact sequence is proprietary.

Images



Western blot analysis of CD144 expression in A375 (A), U87MG (B), mouse brain (C), rat brain (D) whole cell lysates.



Immunohistochemical analysis of CD144 staining in human brain formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.