

Anti-Phosphoserine Antibody

Catalog # AP61595


Product Information

Application	WB, IHC
Host	Mouse
Clonality	Monoclonal


Additional Information

Target/Specificity	Purified protein corresponding to Phosphoserine.
Dilution	WB~~WB (1/1000 - 1/2000), IHC (1/50 - 1/200) IHC~~WB (1/1000 - 1/2000), IHC (1/50 - 1/200)
Format	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.
Storage	Store at -20 °C.Stable for 12 months from date of receipt


Images



Western blot analysis of Phosphoserine expression in Jurkat (A), mouse brain (B), rat brain (C) whole cell lysates.



Immunohistochemical analysis of Phosphotyrosine staining in human lung cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



Immunohistochemical analysis of Phosphotyrosine staining in human lung cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.