

# Cleaved-Caspase-2 p18 (G170) Polyclonal Antibody

Catalog # AP63099

## Product Information

---

Application	WB
Primary Accession	<a href="#">P42575</a>
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal
Calculated MW	50685

## Additional Information

---

Gene ID	835
Other Names	CASP2; ICH1; NEDD2; Caspase-2; CASP-2; Neural precursor cell expressed developmentally down-regulated protein 2; NEDD-2; Protease ICH-1
Dilution	WB~~Western Blot: 1/500 - 1/2000. ELISA: 1/40000. Not yet tested in other applications.
Format	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.
Storage Conditions	-20°C

## Protein Information

---

Name	CASP2
Synonyms	ICH1, NEDD2
Function	Is a regulator of the cascade of caspases responsible for apoptosis execution (PubMed: <a href="#">11156409</a> , PubMed: <a href="#">15073321</a> , PubMed: <a href="#">8087842</a> ). Might function by either activating some proteins required for cell death or inactivating proteins necessary for cell survival (PubMed: <a href="#">15073321</a> ). Associates with PIDD1 and CRADD to form the PIDDosome, a complex that activates CASP2 and triggers apoptosis in response to genotoxic stress (PubMed: <a href="#">15073321</a> ).
Tissue Location	Expressed at higher levels in the embryonic lung, liver and kidney than in the heart and brain. In adults, higher level expression is seen in the placenta, lung, kidney, and pancreas than in the heart, brain, liver and skeletal muscle

## Background


---

Involved in the activation cascade of caspases responsible for apoptosis execution. Might function by

either activating some proteins required for cell death or inactivating proteins necessary for cell survival (PubMed:[15073321](#)). Associates with PIDD1 and CRADD to form the PIDDosome, a complex that activates CASP2 and triggers apoptosis in response to genotoxic stress (PubMed:[15073321](#)).

## Images

---



Western Blot analysis of various cells using  
Cleaved-Caspase-2 p18 (G170) Polyclonal Antibody  
diluted at 1 : 2000



Western Blot analysis of Jurkat cells using  
Cleaved-Caspase-2 p18 (G170) Polyclonal Antibody  
diluted at 1 : 2000

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.