

Cleaved-MMP-10 (F99) Polyclonal Antibody

Catalog # AP63134

Product Information

ApplicationWBPrimary AccessionP09238ReactivityHumanHostRabbitClonalityPolyclonalCalculated MW54151

Additional Information

Gene ID 4319

Other Names MMP10; STMY2; Stromelysin-2; SL-2; Matrix metalloproteinase-10; MMP-10;

Transin-2

Dilution WB~~Western Blot: 1/500 - 1/2000. ELISA: 1/40000. Not yet tested in other

applications.

Format Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium

azide.

Storage Conditions -20°C

Protein Information

Name MMP10

Synonyms STMY2

Function Can degrade fibronectin, gelatins of type I, III, IV, and V; weakly collagens III,


IV, and V. Activates procollagenase.

Cellular Location Secreted, extracellular space, extracellular matrix


Background

Can degrade fibronectin, gelatins of type I, III, IV, and V; weakly collagens III, IV, and V. Activates procollagenase.

Images



Western Blot analysis of various cells using Cleaved-MMP-10 (F99) Polyclonal Antibody diluted at 1:1000



Western Blot analysis of HepG2 cells using Cleaved-MMP-10 (F99) Polyclonal Antibody diluted at 1:1000

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.