

## Tri-Methyl-Histone H3 (K10) Polyclonal Antibody

Catalog # AP63195

## **Product Information**

Application	WB
Primary Accession	<u>P68431, Q71DI3, P84243, Q6NXT2</u>
Reactivity	Human, Rat, Mouse
Host	Rabbit
Clonality	Polyclonal
Calculated MW	15404

## **Additional Information**

Gene ID	8350;8351;8352;8353;8354;8355;8356;8357;8358;8968
Dilution	WB~~WB 1:500-2000, ELISA 1:10000-20000
Format	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.
Storage Conditions	-20°C

## **Protein Information**

Name	H3C1 ( <u>HGNC:4766</u> )
Synonyms	H3FA, HIST1H3A
Function	Core component of nucleosome. Nucleosomes wrap and compact DNA into chromatin, limiting DNA accessibility to the cellular machineries which require DNA as a template. Histones thereby play a central role in transcription regulation, DNA repair, DNA replication and chromosomal stability. DNA accessibility is regulated via a complex set of post-translational modifications of histones, also called histone code, and nucleosome remodeling.
Cellular Location	Nucleus. Chromosome.
Images	

Western blot analysis of 293T lysate, antibody was diluted at 2000. Secondary antibody was diluted at 1:20000



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.