

# Histone H1 (Phospho Thr3) Polyclonal Antibody

Catalog # AP63453

### **Product Information**

Application WB

**Primary Accession** 002539, P16403, P16402, P10412

**Reactivity** Human, Mouse, Rat

Host Rabbit
Clonality Polyclonal
Calculated MW 21842

#### **Additional Information**

Gene ID 3024

Other Names HIST1H1A; H1F1; Histone H1.1; Histone H1a; HIST1H1C; H1F2; Histone H1.2;

Histone H1c; Histone H1d; Histone H1s-1; HIST1H1D; H1F3; Histone H1.3; Histone H1s-2; HIST1H1E; H1F4; Histone H1.4; Histone H1b;

Histone H1s-4

**Dilution** WB~~WB: 1:1000-2000

Format PBS, pH 7.4, containing 0.09% (W/V) sodium azide as Preservative and 50%

Glycerol.

Storage Conditions -20°C

#### **Protein Information**

Name H1-1 ( <u>HGNC:4715</u>)

Synonyms H1F1, HIST1H1A

Function Histone H1 protein binds to linker DNA between nucleosomes forming the

macromolecular structure known as the chromatin fiber. Histones H1 are necessary for the condensation of nucleosome chains into higher-order structured fibers. Also acts as a regulator of individual gene transcription through chromatin remodeling, nucleosome spacing and DNA methylation


(By similarity).

Cellular Location Nucleus {ECO:0000255 | PROSITE-ProRule:PRU00837,

ECO:0000269 | PubMed:15911621}. Chromosome {ECO:0000255 | PROSITE-ProRule:PRU00837, ECO:0000269 | PubMed:15911621}. Note=Mainly localizes

in euchromatin

## **Images**



Western blot analysis of extracts from Hela cells, untreated (-) or treated, 1:5000.. Secondary antibody was diluted at 1:20000

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.