

Cav1.2 Polyclonal Antibody

Catalog # AP63662

Product Information

Application	IHC-P
Primary Accession	Q13936
Reactivity	Human, Rat, Mouse
Host	Rabbit
Clonality	Polyclonal
Calculated MW	248977

Additional Information

Gene ID	775
Other Names	Voltage-dependent L-type calcium channel subunit alpha-1C (Calcium channel, L type, alpha-1 polypeptide, isoform 1, cardiac muscle) (Voltage-gated calcium channel subunit alpha Cav1.2)
Dilution	IHC-P~~IHC 1:100-200
Format	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.
Storage Conditions	-20°C

Protein Information

Name	CACNA1C
Synonyms	CACH2, CACN2, CACNL1A1, CCHL1A1
Function	Pore-forming, alpha-1C subunit of the voltage-gated calcium channel that gives rise to L-type calcium currents (PubMed:12181424, PubMed:15454078, PubMed:15863612, PubMed:16299511, PubMed:17224476, PubMed:20953164, PubMed:23677916, PubMed:24728418, PubMed:26253506, PubMed:27218670, PubMed:29078335, PubMed:29742403, PubMed:30023270, PubMed:30172029, PubMed:34163037, PubMed:8099908). Mediates influx of calcium ions into the cytoplasm, and thereby triggers calcium release from the sarcoplasm (By similarity). Plays an important role in excitation-contraction coupling in the heart. Required for normal heart development and normal regulation of heart rhythm (PubMed:15454078, PubMed:15863612, PubMed:17224476, PubMed:24728418, PubMed:26253506). Required for normal contraction of smooth muscle cells in blood vessels and in the intestine. Essential for normal blood pressure regulation via its role in the contraction of arterial smooth muscle cells (PubMed:28119464). Long-lasting (L-type) calcium channels

belong to the 'high-voltage activated' (HVA) group (Probable).

Cellular Location

Cell membrane; Multi-pass membrane protein Cell membrane, sarcolemma {ECO:0000250|UniProtKB:P15381}; Multi-pass membrane protein. Perikaryon {ECO:0000250|UniProtKB:P22002}. Postsynaptic density membrane {ECO:0000250|UniProtKB:P22002}. Cell projection, dendrite {ECO:0000250|UniProtKB:P22002}. Cell membrane, sarcolemma, T-tubule {ECO:0000250|UniProtKB:Q01815}. Note=Colocalizes with ryanodine receptors in distinct clusters at the junctional membrane, where the sarcolemma and the sarcoplasmic reticulum are in close contact. The interaction between RRAD and CACNB2 promotes the expression of CACNA1C at the cell membrane. {ECO:0000250|UniProtKB:P15381}


Tissue Location

Detected throughout the brain, including hippocampus, cerebellum and amygdala, throughout the heart and vascular system, including ductus arteriosus, in urinary bladder, and in retina and sclera in the eye (PubMed:15454078). Expressed in brain, heart, jejunum, ovary, pancreatic beta-cells and vascular smooth muscle Overall expression is reduced in atherosclerotic vascular smooth muscle.


Background

Pore-forming, alpha-1C subunit of the voltage-gated calcium channel that gives rise to L-type calcium currents (PubMed:[8392192](#), PubMed:[7737988](#), PubMed:[9087614](#), PubMed:[9013606](#), PubMed:[9607315](#), PubMed:[12176756](#), PubMed:[17071743](#), PubMed:[11741969](#), PubMed:[8099908](#), PubMed:[12181424](#), PubMed:[29078335](#), PubMed:[29742403](#), PubMed:[16299511](#), PubMed:[20953164](#), PubMed:[15454078](#), PubMed:[15863612](#), PubMed:[17224476](#), PubMed:[24728418](#), PubMed:[26253506](#), PubMed:[27218670](#)). Mediates influx of calcium ions into the cytoplasm, and thereby triggers calcium release from the sarcoplasm (By similarity). Plays an important role in excitation- contraction coupling in the heart. Required for normal heart development and normal regulation of heart rhythm (PubMed:[15454078](#), PubMed:[15863612](#), PubMed:[17224476](#), PubMed:[24728418](#), PubMed:[26253506](#)). Required for normal contraction of smooth muscle cells in blood vessels and in the intestine. Essential for normal blood pressure regulation via its role in the contraction of arterial smooth muscle cells (PubMed:[28119464](#)). Long-lasting (L-type) calcium channels belong to the 'high-voltage activated' (HVA) group (Probable).

Images



Immunohistochemical analysis of paraffin-embedded Rat Brain Tissue using Cav1.2Rabbit pAb diluted at 1:200.



Immunohistochemical analysis of paraffin-embedded Mouse Brain Tissue using Cav1.2Rabbit pAb diluted at 1:200.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.