

# GNS Antibody (Center S298)

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP6574b

#### **Product Information**

**Application** WB, IHC-P, FC, E

**Primary Accession** P15586 Human Reactivity Host Rabbit Clonality Polyclonal Isotype Rabbit IgG **Clone Names** RB19341 **Calculated MW** 62082 **Antigen Region** 283-313

#### **Additional Information**

**Gene ID** 2799

Other Names N-acetylglucosamine-6-sulfatase, Glucosamine-6-sulfatase, G6S, GNS

**Target/Specificity** This GNS antibody is generated from rabbits immunized with a KLH

conjugated synthetic peptide between 283-313 amino acids from the Central

region of human GNS.

**Dilution** WB~~1:1000 IHC-P~~1:100~500 FC~~1:10~50 E~~Use at an assay dependent

concentration.

**Format** Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide.

This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation

followed by dialysis against PBS.

**Storage** Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store

at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions** GNS Antibody (Center S298) is for research use only and not for use in

diagnostic or therapeutic procedures.

#### **Protein Information**

Name GNS

**Function** Hydrolyzes 6-sulfate groups in N-acetyl-d-glucosaminide units of heparin

sulfate and keratan sulfate.

Cellular Location Lysosome.


## **Background**

GNS is a lysosomal enzyme found in all cells. It is involved in the catabolism of heparin, heparan sulphate, and keratan sulphate. Deficiency of this enzyme results in the accumulation of undegraded substrate and the lysosomal storage disorder mucopolysaccharidosis type IIID (Sanfilippo D syndrome). Mucopolysaccharidosis type IIID is the least common of the four subtypes of Sanfilippo syndrome.


### References

Zhang, H., Li, X.J., Nat. Biotechnol. 21 (6), 660-666 (2003)


## **Images**



Western blot analysis of GNS Antibody (Center S298) (Cat. #AP6574b) in NCI-H460, Hela, 293 cell line lysates (35ug/lane). GNS (arrow) was detected using the purified Pab.



GNS Antibody (Center S298) (Cat. #AP6574b) IHC analysis in formalin fixed and paraffin embedded human hepatocarcinoma followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the GNS Antibody (Center S298) for immunohistochemistry. Clinical relevance has not been evaluated.



GNS Antibody (Center S298) (Cat. #AP6574b) flow cytometric analysis of NCI-H460 cells (right histogram) compared to a negative control cell (left histogram).FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.