

# Annexin V Antibody (N-term)

Purified Rabbit Polyclonal Antibody (Pab)

Catalog # AP6580a

## Product Information

---

<b>Application</b>	IHC-P-Leica, FC, WB, E
<b>Primary Accession</b>	<a href="#">P08758</a>
<b>Other Accession</b>	<a href="#">Q4R4H7</a> , <a href="#">P81287</a>
<b>Reactivity</b>	Human, Mouse
<b>Predicted</b>	Bovine, Monkey
<b>Host</b>	Rabbit
<b>Clonality</b>	Polyclonal
<b>Isotype</b>	Rabbit IgG
<b>Clone Names</b>	RB19461
<b>Calculated MW</b>	35937
<b>Antigen Region</b>	1-30

## Additional Information

---

<b>Gene ID</b>	308
<b>Other Names</b>	Annexin A5, Anchorin CII, Annexin V, Annexin-5, Calphobindin I, CBP-I, Endonexin II, Lipocortin V, Placental anticoagulant protein 4, PP4, Placental anticoagulant protein I, PAP-I, Thromboplastin inhibitor, Vascular anticoagulant-alpha, VAC-alpha, ANXA5, ANX5, ENX2, PP4
<b>Target/Specificity</b>	This Annexin V antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 1-30 amino acids from the N-terminal region of human Annexin V.
<b>Dilution</b>	IHC-P-Leica~~1:500 FC~~1:10~50 WB~~1:1000 E~~Use at an assay dependent concentration.
<b>Format</b>	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.
<b>Storage</b>	Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.
<b>Precautions</b>	Annexin V Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

## Protein Information

---

<b>Name</b>	ANXA5
-------------	-------

## Synonyms

ANX5, ENX2, PP4

## Function

This protein is an anticoagulant protein that acts as an indirect inhibitor of the thromboplastin-specific complex, which is involved in the blood coagulation cascade.


## Background

Annexin 5 belongs to the annexin family of calcium-dependent phospholipid binding proteins some of which have been implicated in membrane-related events along exocytotic and endocytotic pathways. Annexin 5 is a phospholipase A2 and protein kinase C inhibitory protein with calcium channel activity and a potential role in cellular signal transduction, inflammation, growth and differentiation. Annexin 5 has also been described as placental anticoagulant protein I, vascular anticoagulant-alpha, endonexin II, lipocortin V, placental protein 4 and anchorin CII.


## References

Tiscia,G., Thromb. Haemost. 102 (2), 309-313 (2009)  
Kim,T.H., Bone 45 (1), 125-131 (2009)

## Images



Immunohistochemical analysis of paraffin-embedded Human placenta tissue using AP6580A performed on the Leica® BOND RXm. Tissue was fixed with formaldehyde at room temperature, antigen retrieval was by heat mediation with a EDTA buffer (pH9. 0). Samples were incubated with primary antibody(1:500) for 1 hours at room temperature. A undiluted biotinylated CRF Anti-Polyvalent HRP Polymer antibody was used as the secondary antibody.



All lanes : Anti-Annexin V Antibody (N-term) at 1:2000 dilution Lane 1: HepG2 whole cell lysate Lane 2: 293 whole cell lysate Lane 3: U-2OS whole cell lysate Lane 4: A2058 whole cell lysate Lane 5: T47D whole cell lysate Lane 6: Mouse lung lysate Lane 7: Mouse heart lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 36 kDa Blocking/Dilution buffer: 5% NFDM/TBST.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.