

AIG-1 Polyclonal Antibody

Catalog # AP68333

Product Information

Application	WB, E
Primary Accession	Q9NVV5
Reactivity	Human, Rat, Mouse
Host	Rabbit
Clonality	Polyclonal
Calculated MW	27458

Additional Information

Gene ID	51390
Other Names	AIG1; CGI-103; Androgen-induced gene 1 protein; AIG-1
Dilution	WB~~Western Blot: 1/500 - 1/2000. ELISA: 1/40000. Not yet tested in other applications. E~~N/A
Format	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.
Storage Conditions	-20°C


Protein Information

Name	AIG1
Function	Hydrolyzes bioactive fatty-acid esters of hydroxy-fatty acids (FAHFAs), but not other major classes of lipids (PubMed: 27018888). Show a preference for FAHFAs with branching distal from the carboxylate head group of the lipids (PubMed: 27018888).
Cellular Location	Cell membrane; Multi-pass membrane protein
Tissue Location	Highly expressed in heart, ovary, testis, liver, and kidney, at lower levels in spleen, prostate, brain, skeletal muscle, pancreas, small intestine and colon, and undetected in peripheral blood leukocytes, thymus, lung and placenta. AIG1 expression is higher in hair follicles from males than from females

Background

May play a role in androgen-regulated growth of hair follicles.

Images



Western Blot analysis of various cells using AIG-1 Polyclonal Antibody

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.