10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

BACH1 Polyclonal Antibody

Catalog # AP68614

Product Information

Application	WB, IHC-P, IF, ICC, E
Primary Accession	O14867
Reactivity	Human, Rat, Mouse
Host	Rabbit
Clonality	Polyclonal
Calculated MW	81958

Additional Information

Gene ID	571
Other Names	BACH1; Transcription regulator protein BACH1; BTB and CNC homolog 1; HA2303
Dilution	WB~~Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. Immunofluorescence: 1/200 - 1/1000. ELISA: 1/20000. Not yet tested in other applications. IHC-P~~N/A IF~~1:50~200 ICC~~N/A E~~N/A
Format	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.
Storage Conditions	-20℃


Protein Information

Name	BACH1 {ECO:0000303|PubMed:9544839, ECO:0000312|HGNC:HGNC:935}
Function	Transcriptional regulator that acts as a repressor or activator, depending on the context. Binds to NF-E2 DNA binding sites. Plays important roles in coordinating transcription activation and repression by MAFK (By similarity). Together with MAF, represses the transcription of genes under the control of the NFE2L2 oxidative stress pathway (PubMed:24035498).
Cellular Location	Nucleus {ECO:0000255|PROSITE-ProRule:PRU00978, ECO:0000269|PubMed:24035498}

Background

Transcriptional regulator that acts as repressor or activator, depending on the context. Binds to NF-E2 DNA binding sites. Play important roles in coordinating transcription activation and repression by MAFK (By similarity). Together with MAF, represses the transcription of genes under the control of the NFE2L2 oxidative stress pathway (PubMed:24035498).

Images



Western Blot analysis of various cells using BACH1 Polyclonal Antibody

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.