

C/EBP ζ Polyclonal Antibody

Catalog # AP68742

Product Information

Application	WB, IHC-P, IF
Primary Accession	Q03701
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	120974

Additional Information

Gene ID	10153
Other Names	CEBPZ; CBF2; CCAAT/enhancer-binding protein zeta; CCAAT-box-binding transcription factor; CBF; CCAAT-binding factor
Dilution	WB~~Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. Immunofluorescence: 1/200 - 1/1000. ELISA: 1/20000. Not yet tested in other applications. IHC-P~~N/A IF~~1:50~200
Format	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.
Storage Conditions	-20°C

Protein Information


Name	CEBPZ
Synonyms	CBF2
Function	Stimulates transcription from the HSP70 promoter.
Cellular Location	Nucleus.

Background


Stimulates transcription from the HSP70 promoter.

Images

Western Blot analysis of various cells using C/EBP ζ



Polyclonal Antibody cells nucleus extracted by Minute TM Cytoplasmic and Nuclear Fractionation kit (SC-003, Inventbiotech, MN, USA).



Immunohistochemical analysis of paraffin-embedded Human breast cancer. Antibody was diluted at 1:100(4°, overnight). High-pressure and temperature Tris-EDTA, pH8.0 was used for antigen retrieval. Negative control (right) obtained from antibody was pre-absorbed by immunogen peptide.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.