

C/EBP ζ Polyclonal Antibody

Catalog # AP68742

Product Information

Application WB, IHC-P, IF
Primary Accession Q03701
Reactivity Human
Host Rabbit
Clonality Polyclonal
Calculated MW 120974

Additional Information

Gene ID 10153

Other Names CEBPZ; CBF2; CCAAT/enhancer-binding protein zeta; CCAAT-box-binding

transcription factor; CBF; CCAAT-binding factor

Dilution WB~~Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300.

Immunofluorescence: 1/200 - 1/1000. ELISA: 1/20000. Not yet tested in other applications. IHC-P~~Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. Immunofluorescence: 1/200 - 1/1000. ELISA: 1/20000. Not yet

tested in other applications. IF~~1:50~200

Format Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium

azide.

Storage Conditions -20°C

Protein Information

Name CEBPZ

Synonyms CBF2


Function Stimulates transcription from the HSP70 promoter.

Cellular Location Nucleus.


Background

Stimulates transcription from the HSP70 promoter.

Images



Western Blot analysis of various cells using C/EBP ζ Polyclonal Antibody cells nucleus extracted by Minute TM Cytoplasmic and Nuclear Fractionation kit (SC-003,Inventbiotech,MN,USA).



Immunohistochemical analysis of paraffin-embedded Human breast cancer. Antibody was diluted at 1:100(4°,overnight). High-pressure and temperature Tris-EDTA,pH8.0 was used for antigen retrieval. Negetive contrl (right) obtaned from antibody was pre-absorbed by immunogen peptide.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.