

# CD70 Polyclonal Antibody

Catalog # AP68957

## Product Information

---

Application	WB
Primary Accession	<a href="#">P32970</a>
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	21118

## Additional Information

---

Gene ID	970
Other Names	CD70; CD27L; CD27LG; TNFSF7; CD70 antigen; CD27 ligand; CD27-L; Tumor necrosis factor ligand superfamily member 7; CD antigen CD70
Dilution	WB~~Western Blot: 1/500 - 1/2000. ELISA: 1/40000. Not yet tested in other applications.
Format	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.
Storage Conditions	-20°C

## Protein Information

---

Name	CD70 ( <a href="#">HGNC:11937</a> )
Function	Expressed at the plasma membrane of B cells, it is the ligand of the CD27 receptor which is specifically expressed at the surface of T cells (PubMed: <a href="#">28011863</a> , PubMed: <a href="#">28011864</a> , PubMed: <a href="#">8387892</a> ). The CD70- CD27 signaling pathway mediates antigen-specific T cell activation and expansion which in turn provides immune surveillance of B cells (PubMed: <a href="#">28011863</a> , PubMed: <a href="#">28011864</a> ).
Cellular Location	Cell membrane; Single-pass type II membrane protein

## Background

---

Cytokine that binds to CD27. Plays a role in T-cell activation. Induces the proliferation of costimulated T-cells and enhances the generation of cytolytic T-cells.

## Images

---



Western Blot analysis of various cells using CD70  
Polyclonal Antibody diluted at 1 : 2000

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.