

# **ErbB-3 Polyclonal Antibody**

Catalog # AP69794

#### **Product Information**

Application WB, IHC-P
Primary Accession P21860
Reactivity Human
Host Rabbit
Clonality Polyclonal
Calculated MW 148098

#### **Additional Information**

**Gene ID** 2065

Other Names ERBB3; HER3; Receptor tyrosine-protein kinase erbB-3; Proto-oncogene-like

protein c-ErbB-3; Tyrosine kinase-type cell surface receptor HER3

**Dilution** WB~~Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300.

ELISA: 1/20000. Not yet tested in other applications. IHC-P~~N/A

Format Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium

azide.

Storage Conditions -20°C

#### **Protein Information**

Name ERBB3

Synonyms HER3

**Function** Tyrosine-protein kinase that plays an essential role as cell surface receptor

for neuregulins. Binds to neuregulin-1 (NRG1) and is activated by it;

ligand-binding increases phosphorylation on tyrosine residues and promotes

its association with the p85 subunit of phosphatidylinositol 3-kinase (PubMed:20682778). May also be activated by CSPG5 (PubMed:15358134). Involved in the regulation of myeloid cell differentiation (PubMed:27416908).

**Cellular Location** [Isoform 1]: Cell membrane; Single-pass type I membrane protein


**Tissue Location** Epithelial tissues and brain.

## **Background**

Tyrosine-protein kinase that plays an essential role as cell surface receptor for neuregulins. Binds to

neuregulin-1 (NRG1) and is activated by it; ligand-binding increases phosphorylation on tyrosine residues and promotes its association with the p85 subunit of phosphatidylinositol 3-kinase (PubMed:20682778). May also be activated by CSPG5 (PubMed:15358134).

### **Images**



Western Blot analysis of 293T cells using ErbB-3 Polyclonal Antibody diluted at 1: 2000 cells nucleus extracted by Minute TM Cytoplasmic and Nuclear Fractionation kit (SC-003,Inventbiotech,MN,USA).



Western Blot analysis of k562 mouse-heart mouse-spleen mouse-lung cells using ErbB-3 Polyclonal Antibody diluted at 1: 2000 cells nucleus extracted by Minute TM Cytoplasmic and Nuclear Fractionation kit (SC-003,Inventbiotech,MN,USA).

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.