

HNF-4α/γ Polyclonal Antibody

Catalog # AP70373

Product Information

ApplicationWB, IHC-PPrimary AccessionP41235, Q14541ReactivityHuman, Mouse, Rat

HostRabbitClonalityPolyclonalCalculated MW52785

Additional Information

Gene ID 3172

Other Names HNF4A; HNF4; NR2A1; TCF14; Hepatocyte nuclear factor 4-alpha; HNF-4-alpha;

Nuclear receptor subfamily 2 group A member 1; Transcription factor 14; TCF-14; Transcription factor HNF-4; HNF4G; NR2A2; Hepatocyte nuclear factor

4-gamma; HNF-4-ga

Dilution WB~~Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300.

ELISA: 1/20000. Not yet tested in other applications. IHC-P~~N/A

Format Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium

azide.

Storage Conditions -20°C

Protein Information

Name HNF4A

Synonyms HNF4, NR2A1, TCF14


Function Transcriptional regulator which controls the expression of hepatic genes

during the transition of endodermal cells to hepatic progenitor cells, facilitating the recruitment of RNA pol II to the promoters of target genes (PubMed:30597922). Activates the transcription of CYP2C38 (By similarity). Represses the CLOCK-BMAL1 transcriptional activity and is essential for circadian rhythm maintenance and period regulation in the liver and colon

cells (PubMed:30530698).

Cellular Location Nucleus.

Images



Western Blot analysis of various cells using HNF-4 α/γ Polyclonal Antibody

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.