

MAO-A Polyclonal Antibody

Catalog # AP70818

Product Information

Application WB, IHC-P **Primary Accession** P21397

Reactivity Human, Mouse, Rat

HostRabbitClonalityPolyclonalCalculated MW59682

Additional Information

Gene ID 4128

Other Names MAOA; Amine oxidase [flavin-containing] A; Monoamine oxidase type A;

MAO-A

Dilution WB~~Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300.

ELISA: 1/20000. Not yet tested in other applications. IHC-P~~N/A

Format Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium

azide.

Storage Conditions -20°C

Protein Information

Name MAOA (HGNC:6833)

Function Catalyzes the oxidative deamination of primary and some secondary amine

such as neurotransmitters, with concomitant reduction of oxygen to hydrogen peroxide and has important functions in the metabolism of neuroactive and vasoactive amines in the central nervous system and peripheral tissues

(PubMed: 18391214, PubMed: 20493079, PubMed: 24169519,

PubMed:<u>8316221</u>). Preferentially oxidizes serotonin (PubMed:<u>20493079</u>, PubMed:<u>24169519</u>). Also catalyzes the oxidative deamination of kynuramine to 3-(2-aminophenyl)-3-oxopropanal that can spontaneously condense to

4-hydroxyguinoline (By similarity).

Cellular Location Mitochondrion outer membrane {ECO:0000250|UniProtKB:P21396};

Single-pass type IV membrane protein {ECO:0000250 | UniProtKB:P21396};


Cytoplasmic side {ECO:0000250|UniProtKB:P21396}

Tissue Location Heart, liver, duodenum, blood vessels and kidney.


Background

Catalyzes the oxidative deamination of biogenic and xenobiotic amines and has important functions in the metabolism of neuroactive and vasoactive amines in the central nervous system and peripheral tissues. MAOA preferentially oxidizes biogenic amines such as 5-hydroxytryptamine (5-HT), norepinephrine and epinephrine.

Images



Western Blot analysis of various cells using MAO-A Polyclonal Antibody diluted at 1 : 1000



Western Blot analysis of HeLa cells using MAO-A Polyclonal Antibody diluted at 1:1000

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.