

PTGR2 Polyclonal Antibody

Catalog # AP72079

Product Information

Application	WB, IHC-P
Primary Accession	<u>Q8N8N7</u>
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	38499

Additional Information

Gene ID	145482
Other Names	PTGR2; ZADH1; Prostaglandin reductase 2; PRG-2; 15-oxoprostaglandin 13-reductase; Zinc-binding alcohol dehydrogenase domain-containing protein 1
Dilution	WB~~Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/10000. Not yet tested in other applications. IHC-P~~N/A
Format	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.
Storage Conditions	-20°C

Protein Information

Name	PTGR2 (<u>HGNC:20149</u>)
Synonyms	ZADH1
Function	Functions as 15-oxo-prostaglandin 13-reductase and acts on 15-keto-PGE1, 15-keto-PGE2, 15-keto-PGE1-alpha and 15-keto-PGE2-alpha with highest activity towards 15-keto-PGE2 (PubMed: <u>19000823</u>). Overexpression represses transcriptional activity of PPARG and inhibits adipocyte differentiation (By similarity).
Cellular Location	Cytoplasm.
Tissue Location	Widely expressed

Background

Functions as 15-oxo-prostaglandin 13-reductase and acts on 15-keto-PGE1, 15-keto-PGE2,

15-keto-PGE1-alpha and 15-keto- PGE2-alpha with highest activity towards 15-keto-PGE2. Overexpression represses transcriptional activity of PPARG and inhibits adipocyte differentiation (By similarity).

Images



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.