

# PWWP2B Polyclonal Antibody

Catalog # AP72092

## Product Information

---

Application	WB, IHC-P
Primary Accession	<a href="#">Q6NUJ5</a>
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	63967

## Additional Information

---

Gene ID	170394
Other Names	PWWP2B; PWWP2; PWWP domain-containing protein 2B
Dilution	WB~~Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/20000. Not yet tested in other applications. IHC-P~~N/A
Format	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.
Storage Conditions	-20°C


## Protein Information

---

Name	PWWP2B
Synonyms	PWWP2
Function	Chromatin-binding protein that acts as an adapter between distinct nucleosome components (H3K36me3 or H2A.Z) and chromatin- modifying complexes, contributing to the regulation of the levels of histone acetylation at actively transcribed genes (PubMed: <a href="#">30228260</a> ). Competes with CHD4 and MBD3 for interaction with MTA1 to form a NuRD subcomplex, preventing the formation of full NuRD complex (containing CHD4 and MBD3), leading to recruitment of HDACs to gene promoters resulting in turn in the deacetylation of nearby H3K27 and H2A.Z (PubMed: <a href="#">30228260</a> ). Plays a role in facilitating transcriptional elongation through regulation of histone acetylation (By similarity). Negatively regulates brown adipocyte thermogenesis by interacting with and stabilizing HDAC1 at the UCP1 gene promoter, thereby promoting histone deacetylation at the promoter leading to the repression of UCP1 expression (By similarity).

## Images

---



Western Blot analysis of LOVO cells using PWWP2B Polyclonal Antibody

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.