

TrxR2 Polyclonal Antibody

Catalog # AP72935

Product Information

Application	WB, IHC-P
Primary Accession	Q9NNW7
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal
Calculated MW	56507

Additional Information

Gene ID	10587
Other Names	TXNRD2; KIAA1652; TRXR2; Thioredoxin reductase 2; mitochondrial; Selenoprotein Z; SelZ; TR-beta; Thioredoxin reductase TR3
Dilution	WB~~Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/10000. Not yet tested in other applications. IHC-P~~N/A
Format	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.
Storage Conditions	-20°C


Protein Information

Name	TXNRD2 (HGNC:18155)
Synonyms	KIAA1652, TRXR2
Function	Involved in the control of reactive oxygen species levels and the regulation of mitochondrial redox homeostasis (PubMed: 24601690). Maintains thioredoxin in a reduced state. May play a role in redox- regulated cell signaling.
Cellular Location	Mitochondrion.
Tissue Location	Highly expressed in the prostate, ovary, liver, testis, uterus, colon and small intestine. Intermediate levels in brain, skeletal muscle, heart and spleen. Low levels in placenta, pancreas, thymus and peripheral blood leukocytes. According to PubMed:10608886, high levels in kidney, whereas according to PubMed:9923614, levels are low. High expression is observed in the adrenal cortex (PubMed:24601690).


Background

Involved in the control of reactive oxygen species levels and the regulation of mitochondrial redox homeostasis (PubMed:[24601690](#)). Maintains thioredoxin in a reduced state. May play a role in redox-regulated cell signaling.

Images



Western Blot analysis of various cells using TrxR2 Polyclonal Antibody. Secondary antibody was diluted at 1:20000



Western Blot analysis of HT29 cells using TrxR2 Polyclonal Antibody. Secondary antibody was diluted at 1:20000

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.