

VPS72 Polyclonal Antibody

Catalog # AP73074

Product Information

Application	WB, IHC-P, IF
Primary Accession	Q15906
Reactivity	Human, Mouse
Host	Rabbit
Clonality	Polyclonal
Calculated MW	40594

Additional Information

Gene ID	6944
Other Names	VPS72; TCFL1; YL1; Vacuolar protein sorting-associated protein 72 homolog; Protein YL-1; Transcription factor-like 1
Dilution	WB~~Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. Immunofluorescence: 1/200 - 1/1000. ELISA: 1/40000. Not yet tested in other applications. IHC-P~~N/A IF~~1:50~200
Format	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.
Storage Conditions	-20°C

Protein Information


Name	VPS72
Synonyms	TCFL1, YL1
Function	Deposition-and-exchange histone chaperone specific for H2AZ1, specifically chaperones H2AZ1 and deposits it into nucleosomes. As component of the SRCAP complex, mediates the ATP-dependent exchange of histone H2AZ1/H2B dimers for nucleosomal H2A/H2B, leading to transcriptional regulation of selected genes by chromatin remodeling.
Cellular Location	Nucleus.

Background

Deposition-and-exchange histone chaperone specific for H2AFZ, specifically chaperones H2AFZ and deposits it into nucleosomes. As component of the SRCAP complex, mediates the ATP- dependent exchange of histone H2AFZ/H2B dimers for nucleosomal H2A/H2B, leading to transcriptional regulation of selected

genes by chromatin remodeling.

Images



Western blot analysis of 293T lysis using VPS72 antibody. Antibody was diluted at 1:1000. Secondary antibody was diluted at 1:20000 cells nucleus extracted by Minute TM Cytoplasmic and Nuclear Fractionation kit (SC-003, Inventbiotech, MN, USA).

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.