

ZNF397 Polyclonal Antibody

Catalog # AP73147

Product Information

Application	WB, IHC-P, IF
Primary Accession	Q8NF99
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	61139

Additional Information

Gene ID	84307
Other Names	ZNF397; ZNF47; ZSCAN15; Zinc finger protein 397; Zinc finger and SCAN domain-containing protein 15; Zinc finger protein 47
Dilution	WB~~Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. Immunofluorescence: 1/200 - 1/1000. ELISA: 1/5000. Not yet tested in other applications. IHC-P~~N/A IF~~1:50~200
Format	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.
Storage Conditions	-20°C


Protein Information

Name	ZNF397
Synonyms	ZNF47, ZSCAN15
Function	Isoform 3 acts as a DNA-dependent transcriptional repressor.
Cellular Location	[Isoform 1]: Nucleus.
Tissue Location	Expressed strongly in testis, moderately in skeletal muscle, pancreas and prostate, and weakly in heart, placenta, liver, kidney, spleen, thymus and small intestine

Background

Isoform 3 acts as a DNA-dependent transcriptional repressor.

Images



Western Blot analysis of various cells using ZNF397 Polyclonal Antibody. Secondary antibody was diluted at 1:20000

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.