

APLP-1 Polyclonal Antibody

Catalog # AP73241

Product Information

ApplicationWB, IHC-PPrimary AccessionP51693

Reactivity Human, Mouse

HostRabbitClonalityPolyclonalCalculated MW72176

Additional Information

Gene ID 333

Other Names APLP1; Amyloid-like protein 1; APLP; APLP-1

Dilution WB~~Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300 ELISA: 1/10000. Not yet

tested in other applications. IHC-P~~N/A

Format Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium

azide.

Storage Conditions -20°C

Protein Information

Name APLP1

Function May play a role in postsynaptic function. The C-terminal gamma-secretase

processed fragment, ALID1, activates transcription activation through APBB1 (Fe65) binding (By similarity). Couples to JIP signal transduction through C-terminal binding. May interact with cellular G-protein signaling pathways. Can regulate neurite outgrowth through binding to components of the

extracellular matrix such as heparin and collagen I.

Cellular Location Cell membrane; Single-pass type I membrane protein

Tissue Location Expressed in the cerebral cortex where it is localized to the postsynaptic


density (PSD)

Background


May play a role in postsynaptic function. The C-terminal gamma-secretase processed fragment, ALID1, activates transcription activation through APBB1 (Fe65) binding (By similarity). Couples to JIP signal transduction through C-terminal binding. May interact with cellular G-protein signaling pathways. Can

regulate neurite outgrowth through binding to components of the extracellular matrix such as heparin and collagen I.


Images




Western Blot analysis of extracts from K562 cells, using APLP-1 Polyclonal Antibody.. Secondary antibody was diluted at 1:20000



Immunohistochemical analysis of paraffin-embedded mouse-ovary, antibody was diluted at 1:100




Immunohistochemical analysis of paraffin-embedded mouse-ovary, antibody was diluted at 1:100



Immunohistochemical analysis of paraffin-embedded mouse-ovary, antibody was diluted at 1:100

Immunohistochemical analysis of paraffin-embedded mouse-ovary, antibody was diluted at 1:100



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.