

APLP-1 Polyclonal Antibody

Catalog # AP73241

Product Information

Application	WB, IHC-P
Primary Accession	<u>P51693</u>
Reactivity	Human, Mouse
Host	Rabbit
Clonality	Polyclonal
Calculated MW	72176

Additional Information

Gene ID	333
Other Names	APLP1; Amyloid-like protein 1; APLP; APLP-1
Dilution	WB~~Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300 ELISA: 1/10000. Not yet tested in other applications. IHC-P~~Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300 ELISA: 1/10000. Not yet tested in other applications.
Format	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.
Storage Conditions	-20°C

Protein Information


Name	APLP1
Function	May play a role in postsynaptic function. The C-terminal gamma-secretase processed fragment, ALID1, activates transcription activation through APBB1 (Fe65) binding (By similarity). Couples to JIP signal transduction through C-terminal binding. May interact with cellular G-protein signaling pathways. Can regulate neurite outgrowth through binding to components of the extracellular matrix such as heparin and collagen I.
Cellular Location	Cell membrane; Single-pass type I membrane protein
Tissue Location	Expressed in the cerebral cortex where it is localized to the postsynaptic density (PSD)

Background

May play a role in postsynaptic function. The C-terminal gamma-secretase processed fragment, ALID1, activates transcription activation through APBB1 (Fe65) binding (By similarity). Couples to JIP signal

transduction through C-terminal binding. May interact with cellular G-protein signaling pathways. Can regulate neurite outgrowth through binding to components of the extracellular matrix such as heparin and collagen I.

Images




Western Blot analysis of extracts from K562 cells, using APLP-1 Polyclonal Antibody.. Secondary antibody was diluted at 1:20000


Immunohistochemical analysis of paraffin-embedded mouse-ovary, antibody was diluted at 1:100

Immunohistochemical analysis of paraffin-embedded mouse-ovary, antibody was diluted at 1:100

Immunohistochemical analysis of paraffin-embedded mouse-ovary, antibody was diluted at 1:100

Immunohistochemical analysis of paraffin-embedded mouse-ovary, antibody was diluted at 1:100





Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.