

SV2C Polyclonal Antibody

Catalog # AP73260

Product Information

Application	WB, IHC-P
Primary Accession	Q496J9
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal
Calculated MW	82342

Additional Information

Gene ID	22987
Other Names	SV2C; KIAA1054; Synaptic vesicle glycoprotein 2C
Dilution	WB~~Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300 ELISA: 1/20000. Not yet tested in other applications. IHC-P~~Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300 ELISA: 1/20000. Not yet tested in other applications.
Format	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.
Storage Conditions	-20°C


Protein Information

Name	SV2C
Synonyms	KIAA1054
Function	Plays a role in the control of regulated secretion in neural and endocrine cells, enhancing selectively low-frequency neurotransmission. Positively regulates vesicle fusion by maintaining the readily releasable pool of secretory vesicles.
Cellular Location	Cytoplasmic vesicle, secretory vesicle, synaptic vesicle membrane {ECO:0000250 UniProtKB:Q9Z2I6}; Multi-pass membrane protein {ECO:0000250 UniProtKB:Q9Z2I6}. Note=Enriched in small synaptic vesicles and adrenal microsomes, not present in chromaffin granules Associated with both insulin granules and synaptic-like microvesicles in insulin-secreting cells of the pancreas {ECO:0000250 UniProtKB:Q9Z2I6}


Background

Plays a role in the control of regulated secretion in neural and endocrine cells, enhancing selectively low-frequency neurotransmission. Positively regulates vesicle fusion by maintaining the readily releasable pool of secretory vesicles.

Images



Western Blot analysis of extracts from Jurkat cells, using SV2C Polyclonal Antibody.. Secondary antibody was diluted at 1:20000



Immunohistochemical analysis of paraffin-embedded rat-brain, antibody was diluted at 1:100

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.