10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

Striatin Polyclonal Antibody

Catalog # AP73275

Product Information

Application	WB, IHC-P, IF, ICC, E
Primary Accession	O43815
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal
Calculated MW	86132

Additional Information

Gene ID	6801
Other Names	STRN; Striatin
Dilution	WB~~Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300 ELISA: 1/5000. Not yet tested in other applications. IHC-P~~Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300 ELISA: 1/5000. Not yet tested in other applications. IF~~1:50~200 ICC~~N/A E~~N/A
Format	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.
Storage Conditions	-20℃


Protein Information

Name	STRN
Function	Calmodulin-binding scaffolding protein which is the center of the striatin-interacting phosphatase and kinase (STRIPAK) complexes (PubMed:18782753). STRIPAK complexes have critical roles in protein (de)phosphorylation and are regulators of multiple signaling pathways including Hippo, MAPK, nuclear receptor and cytoskeleton remodeling. Different types of STRIPAK complexes are involved in a variety of biological processes such as cell growth, differentiation, apoptosis, metabolism and immune regulation (Probable).
Cellular Location	Cytoplasm {ECO:0000250|UniProtKB:P70483}. Membrane {ECO:0000250|UniProtKB:P70483}; Peripheral membrane protein {ECO:0000250|UniProtKB:P70483}. Cell projection, dendritic spine {ECO:0000250|UniProtKB:P70483}. Note=CTTNBP2-binding may regulate dendritic spine distribution. {ECO:0000250|UniProtKB:P70483}
Tissue Location	Preferentially expressed in brain.


Background

Calmodulin-binding protein which may function as scaffolding or signaling protein and may play a role in dendritic Ca(2+) signaling.


Images



Western Blot analysis of extracts from K562 cells, using Striatin Polyclonal Antibody.. Secondary antibody was diluted at 1:20000



Immunohistochemical analysis of paraffin-embedded mouse-brain, antibody was diluted at 1:100



Immunohistochemical analysis of paraffin-embedded mouse-brain, antibody was diluted at 1:100

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.