

DPP7 Polyclonal Antibody

Catalog # AP73308

Product Information

Application	WB, IHC-P
Primary Accession	Q9UHL4
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	54341

Additional Information

Gene ID	29952
Other Names	DPP7; DPP2; QPP; Dipeptidyl peptidase 2; Dipeptidyl aminopeptidase II; Dipeptidyl peptidase 7; Dipeptidyl peptidase II; DPP II; Quiescent cell proline dipeptidase
Dilution	WB~~Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300 ELISA: 1/20000. Not yet tested in other applications. IHC-P~~N/A
Format	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.
Storage Conditions	-20°C


Protein Information

Name	DPP7
Synonyms	DPP2, QPP
Function	Plays an important role in the degradation of some oligopeptides.
Cellular Location	Lysosome. Cytoplasmic vesicle. Secreted
Tissue Location	Detected in seminal plasma (at protein level).


Background

Plays an important role in the degradation of some oligopeptides.


Images




Western Blot analysis of Jurkat cells using DPP7 Polyclonal Antibody.. Secondary antibody was diluted at 1:20000



Immunohistochemical analysis of paraffin-embedded human-liver, antibody was diluted at 1:100



Immunohistochemical analysis of paraffin-embedded human-liver, antibody was diluted at 1:100



Immunohistochemical analysis of paraffin-embedded human-brain, antibody was diluted at 1:100

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.