

Eotaxin-3 Polyclonal Antibody

Catalog # AP73333

Product Information

Application	WB, IHC-P
Primary Accession	<u>Q9Y258</u>
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	10648

Additional Information

Gene ID	10344
Other Names	CCL26; SCYA26; C-C motif chemokine 26; CC chemokine IMAC; Eotaxin-3; Macrophage inflammatory protein 4-alpha; MIP-4-alpha; Small-inducible cytokine A26; Thymic stroma chemokine-1; TSC-1
Dilution	WB~~Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300 ELISA: 1/20000. Not yet tested in other applications. IHC-P~~N/A
Format	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.
Storage Conditions	-20°C

Protein Information

Name	CCL26 (<u>HGNC:10625</u>)
Function	Chemoattractant for eosinophils and basophils (PubMed: <u>10415065</u> , PubMed: <u>10488147</u>). Acts as a ligand for C-C chemokine receptor CCR3 which triggers Ca(2+) mobilization in eosinophils (PubMed: <u>10415065</u> , PubMed: <u>10488147</u> , PubMed: <u>11425309</u>). Also acts as a ligand for CX3C chemokine receptor CX3CR1, inducing cell chemotaxis (PubMed: <u>20974991</u>).
Cellular Location	Secreted.
Tissue Location	Ubiquitously expressed at low levels in various tissues including heart and ovary.

Background

Chemoattractant for eosinophils and basophils (PubMed: <u>10415065</u>, PubMed:<u>10488147</u>). Acts as a ligand for C-C chemokine receptor CCR3 which triggers Ca(2+) mobilization in eosinophils (PubMed:<u>10415065</u>,

Images



Western Blot analysis of PC-3, A549, OVCAR3, mouse colon cells using Eotaxin-3 Polyclonal Antibody.. Secondary antibody was diluted at 1:20000

Immunohistochemical analysis of paraffin-embedded rat-brain, antibody was diluted at 1:100

Immunohistochemical analysis of paraffin-embedded rat-brain, antibody was diluted at 1:100

Immunohistochemical analysis of paraffin-embedded rat-brain, antibody was diluted at 1:100

Immunohistochemical analysis of paraffin-embedded mouse-brain, antibody was diluted at 1:100







Immunohistochemical analysis of paraffin-embedded mouse-brain, antibody was diluted at 1:100

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.