

CD158z Polyclonal Antibody

Catalog # AP73456

Product Information

Application WB, IHC-P
Primary Accession Q8N743
Reactivity Human
Host Rabbit
Clonality Polyclonal
Calculated MW 44928

Additional Information

Other Names KIR3DL3; CD158Z; KIR3DL7; KIRC1; Killer cell immunoglobulin-like receptor

3DL3; CD158 antigen-like family member Z; Killer cell inhibitory receptor 1;

CD158z

Dilution WB~~Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300 ELISA: 1/20000. Not yet

tested in other applications. IHC-P~~Western Blot: 1/500 - 1/2000. IHC-p:

1:100-300 ELISA: 1/20000. Not yet tested in other applications.

Format Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium

azide.

Storage Conditions -20°C

Protein Information

Name KIR3DL3

Synonyms CD158Z, KIR3DL7, KIRC1

Function Receptor on natural killer cells. May inhibit the activity of NK cells thus


preventing cell lysis.

Cellular Location Cell membrane; Single-pass type I membrane protein


Background

Receptor on natural killer cells. May inhibit the activity of NK cells thus preventing cell lysis.


Images




CD158z Polyclonal Antibody.. Secondary antibody was diluted at 1:20000




Immunohistochemical analysis of paraffin-embedded human-lung-cancer, antibody was diluted at 1:100



Immunohistochemical analysis of paraffin-embedded human-lung-cancer, antibody was diluted at 1:100



Immunohistochemical analysis of paraffin-embedded human-brain, antibody was diluted at 1:100



Immunohistochemical analysis of paraffin-embedded human-brain, antibody was diluted at 1:100

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.