

Eotaxin Polyclonal Antibody

Catalog # AP73627

Product Information

Application WB Primary Accession P51671

Reactivity Human, Mouse, Rat

HostRabbitClonalityPolyclonalCalculated MW10732

Additional Information

Gene ID 6356

Other Names CCL11; SCYA11; Eotaxin; C-C motif chemokine 11; Eosinophil chemotactic

protein; Small-inducible cytokine A11

Dilution WB~~Western Blot: 1/500 - 1/2000. ELISA: 1/20000. Not yet tested in other

applications.

Format Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium

azide.

Storage Conditions -20°C

Protein Information

Name CCL11

Synonyms SCYA11

Function In response to the presence of allergens, this protein directly promotes the

accumulation of eosinophils, a prominent feature of allergic inflammatory


reactions (PubMed:<u>8597956</u>). Binds to CCR3 (PubMed:<u>8631813</u>).

Cellular Location Secreted.

Background

In response to the presence of allergens, this protein directly promotes the accumulation of eosinophils, a prominent feature of allergic inflammatory reactions. Binds to CCR3.

Images



Western Blot analysis of HepG2, mouse thymus, mouse skeletal muscle cells using Eotaxin Polyclonal Antibody.. Secondary antibody was diluted at 1:20000

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.