

p16 Polyclonal Antibody

Catalog # AP73847

Product Information

Application WB
Primary Accession P42771
Reactivity Human
Host Rabbit
Clonality Polyclonal
Calculated MW 16533

Additional Information

Gene ID 1029

Other Names CDKN2A; CDKN2; MTS1; Cyclin-dependent kinase inhibitor 2A, isoforms 1/2/3;

Cyclin-dependent kinase 4 inhibitor A; CDK4I; Multiple tumor suppressor 1;

MTS-1; p16-INK4a; p16-INK4; p16INK4A

Dilution WB~~Western Blot: 1/500 - 1/2000. ELISA: 1/10000. Not yet tested in other

applications.

Format Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium

azide.

Storage Conditions -20°C

Protein Information

Name CDKN2A (HGNC:1787)

Synonyms CDKN2, MTS1

Function Acts as a negative regulator of the proliferation of normal cells by interacting

strongly with CDK4 and CDK6. This inhibits their ability to interact with cyclins

D and to phosphorylate the retinoblastoma protein.

Cellular Location Cytoplasm. Nucleus


Tissue Location Widely expressed but not detected in brain or skeletal muscle. Isoform 3 is

pancreas-specific

Background

Acts as a negative regulator of the proliferation of normal cells by interacting strongly with CDK4 and CDK6. This inhibits their ability to interact with cyclins D and to phosphorylate the retinoblastoma protein.

Images



Western blot analysis of 293T 22RV1 using p16 antibody. Antibody was diluted at 1:2000. Secondary antibody was diluted at 1:20000

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.