

IL-19 Polyclonal Antibody

Catalog # AP74078

Product Information

Application WB, IHC-P
Primary Accession Q9UHD0
Reactivity Human, Rat
Host Rabbit
Clonality Polyclonal
Calculated MW 20452

Additional Information

Gene ID 29949

Other Names Interleukin-19 (IL-19) (Melanoma differentiation-associated protein-like

protein) (NG.1)

Dilution WB~~WB 1:500-2000,IHC-p 1:500-200, ELISA 1:10000-20000 IHC-P~~WB

1:500-2000,IHC-p 1:500-200, ELISA 1:10000-20000

Format Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium

azide.

Storage Conditions -20°C

Protein Information

Name IL19

Synonyms ZMDA1

Function Cytokine that functions as an anti-inflammatory and proangiogenic factor

(PubMed:34932373). Polarizes adaptive immunity to an anti-inflammatory

phenotype through induction of T-helper 2 responses by both

down-regulation of IFN-gamma and up-regulation of IL4 and IL13

(PubMed: 16365913). Produced by osteocytes, stimulates granulopoiesis and neutrophil formation (By similarity). Exerts its biological effect through a receptor complex consisting of a heterodimer of IL20RA and IL20RB (PubMed: 12351624). In turn, activates the Janus kinase (JAK) and signal transducer and activator of transcription (STAT) pathway, and importantly,


STAT3 (PubMed: 11564763).

Cellular Location Secreted.


Background

May play some important roles in inflammatory responses. Up-regulates IL-6 and TNF-alpha and induces apoptosis (By similarity).

Images



Western blot analysis of 293T Hela VEC KB mouse-kidney lysate, antibody was diluted at 500. Secondary antibody was diluted at 1:20000



Immunohistochemical analysis of paraffin-embedded human-liver, antibody was diluted at 1:200

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.