

IL-12B Polyclonal Antibody

Catalog # AP74467

Product Information

ApplicationWBPrimary AccessionP29460ReactivityHumanHostRabbitClonalityPolyclonalCalculated MW37169

Additional Information

Gene ID 3593

Other Names Interleukin-12 subunit beta (IL-12B) (Cytotoxic lymphocyte maturation factor

40 kDa subunit) (CLMF p40) (IL-12 subunit p40) (NK cell stimulatory factor

chain 2) (NKSF2)

Dilution WB~~WB 1:500-2000, ELISA(peptide)1:5000-20000

Format Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium

azide.

Storage Conditions -20°C

Protein Information

Name IL12B

Synonyms NKSF2

Function Cytokine that can act as a growth factor for activated T and NK cells,

enhance the lytic activity of NK/lymphokine-activated killer cells, and


stimulate the production of IFN-gamma by resting PBMC.

Cellular Location Secreted.

Background

Cytokine that can act as a growth factor for activated T and NK cells, enhance the lytic activity of NK/lymphokine- activated killer cells, and stimulate the production of IFN-gamma by resting PBMC.

Images



Western blot analysis of various lysates, primary antibody was diluted at 1:1000, 4° over night, secondary antibody(cat: RS23920)was diluted at 1:10000, 37° 1hour.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.