

Polyclonal Antibody to Regulated On Activation In Normal T-Cell Expressed And Secreted (RANTES)

Regulated On Activation In Normal T-Cell Expressed And Secreted

Catalog # AP74508

Product Information

Application	WB
Primary Accession	Q2EN89
Reactivity	Pig
Host	Rabbit
Clonality	Polyclonal


Additional Information

Other Names	CCL5; SCYA5; SISd; EoCP; Chemokine C-C-Motif Ligand 5; Eosinophil Chemotactic Cytokine; T-cell Specific Protein p288; Small Inducible Cytokine Subfamily A(Cys-Cys)Member 5
Target/Specificity	Sus scrofa; Porcine (Pig)
Dilution	WB~~Western blotting: 0.5-2ug/ml Immunocytochemistry in formalin fixed cells: 5-20ug/ml Immunohistochemistry in formalin fixed frozen section: 5-20ug/ml Immunohistochemistry in paraffin section: 5-20ug/ml Enzyme-linked Immunosorbent Assay: 0.05-2ug/ml Optimal working dilutions must be determined by end user.
Format	0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.
Storage	Store at -20 °C.Stable for 12 months from date of receipt

Protein Information

Images

Figure. Western Blot; Sample: Recombinant RANTES, Porcine.



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.