

Polyclonal Antibody to Chemokine (C-X-C Motif) Ligand 3 (CXCL3)

Chemokine (C-X-C Motif) Ligand 3
Catalog # AP74783

Product Information

Application	WB
Primary Accession	FJ469975.1
Reactivity	Horse
Host	Rabbit
Clonality	Polyclonal

Additional Information

Other Names	GROg; SCYB3; GRO3; GRO-G; MIP2-B; MIP2b; CINC2b; CINC2b; Growth Regulated Oncogene Gamma; Macrophage inflammatory protein 2-beta
Target/Specificity	Equus caballus; Equine (Horse)
Dilution	WB~~Western blotting: 0.5-2 μ g/mL Immunohistochemistry: 5-20 μ g/mL Immunocytochemistry: 5-20 μ g/mL Optimal working dilutions must be determined by end user.
Format	PBS, pH7.4, containing 0.02% NaN ₃ , 50% glycerol.
Storage	Store at -20 °C.Stable for 12 months from date of receipt

Protein Information

Images




Figure. Western Blot; Sample: Recombinant GROg, Equine.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.