

IDH1 Rabbit mAb

Catalog # AP74833

Product Information

Application WB, IHC-P, IP **Primary Accession** 075874

Reactivity Human, Mouse, Rat

Host Rabbi

Clonality Monoclonal Antibody

Calculated MW 46659

Additional Information

Gene ID 3417

Other Names IDH1

Dilution WB~~1/500-1/1000 IHC-P~~N/A IP~~N/A

Format 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40%Glycerol, 0.01% sodium azide and

0.05% BSA.

Storage Store at 4°C short term. Aliquot and store at -20°C long term. Avoid

freeze/thaw cycles.

Protein Information

Name IDH1

Synonyms PICD


Function Catalyzes the NADP(+)-dependent oxidative decarboxylation of isocitrate


(D-threo-isocitrate) to 2-ketoglutarate (2-oxoglutarate), which is required by other enzymes such as the phytanoyl-CoA dioxygenase (PubMed:10521434, PubMed:19935646). Plays a critical role in the generation of NADPH, an important cofactor in many biosynthesis pathways (PubMed:10521434). May act as a corneal epithelial crystallin and may be involved in maintaining

corneal epithelial transparency (By similarity).

Cellular Location Cytoplasm, cytosol. Peroxisome

Images





Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.