

Integrin alpha IIb Rabbit mAb

Catalog # AP74942

Product Information

ApplicationWBPrimary AccessionP08514ReactivityHuman, RatHostRabbit

Clonality Monoclonal Antibody

Calculated MW 113377

Additional Information

Gene ID 3674

Other Names ITGA2B

Dilution WB~~1/500-1/1000

Format 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40%Glycerol, 0.01% sodium azide and

0.05% BSA.

Storage Store at 4°C short term. Aliquot and store at -20°C long term. Avoid

freeze/thaw cycles.

Protein Information

Name ITGA2B

Synonyms GP2B, ITGAB

Function Integrin alpha-IIb/beta-3 is a receptor for fibronectin, fibrinogen,

plasminogen, prothrombin, thrombospondin and vitronectin. It recognizes the sequence R-G-D in a wide array of ligands. It recognizes the sequence H-H-L-G-G-G-A-K-Q-A-G-D-V in fibrinogen gamma chain (By similarity). Following activation integrin alpha-IIb/beta-3 brings about platelet/platelet interaction through binding of soluble fibrinogen (PubMed:9111081). This step leads to rapid platelet aggregation which physically plugs ruptured

endothelial cell surface (By similarity).


Cellular Location Membrane; Single-pass type I membrane protein.

Tissue Location Isoform 1 and isoform 2 are expressed in platelets and megakaryocytes, but

not in reticulocytes. Not detected in Jurkat, nor in U937 cell lines

(PubMed:2351656). Isoform 3 is expressed in prostate adenocarcinoma, as well as in several erythroleukemia, prostate adenocarcinoma and melanoma cell lines, including PC-3, DU- 145, HEL, WM983A, WM983B and WM35. Not

Images



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.