

c-Jun Rabbit mAb

Catalog # AP75007

Product Information

ApplicationWB, IP, ICCPrimary AccessionP05412

Reactivity Human, Mouse

Host Rabbit

Clonality Monoclonal Antibody

Calculated MW 35676

Additional Information

Gene ID 3725

Other Names JUN

Dilution WB~~1/500-1/1000 IP~~1/20 ICC~~N/A

Format Liquid

Protein Information

Name JUN

Function Transcription factor that recognizes and binds to the AP-1 consensus motif

with proteins of the FOS family to form an AP-1 transcription complex, thereby enhancing its DNA binding activity to the AP-1 consensus sequence 5'-TGA[GC]TCA-3' and enhancing its transcriptional activity (By similarity). Together with FOSB, plays a role in activation-induced cell death of T cells by binding to the AP-1 promoter site of FASLG/CD95L, and inducing its transcription in response to activation of the TCR/CD3 signaling pathway (PubMed:12618758). Promotes activity of NR5A1 when phosphorylated by HIPK3 leading to increased steroidogenic gene expression upon cAMP signaling pathway stimulation (PubMed:17210646). Involved in activated KRAS-mediated transcriptional activation of USP28 in colorectal cancer (CRC) cells (PubMed:24623306). Binds to the USP28 promoter in colorectal cancer


5'-TGA[GC]TCA-3' (PubMed:<u>10995748</u>, PubMed:<u>22083952</u>). Heterodimerizes


(CRC) cells (PubMed:24623306).


Cellular Location Nucleus.

Tissue Location Expressed in the developing and adult prostate and prostate cancer cells.

Images







Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.