

beta III Tubulin Rabbit mAb

Catalog # AP75153

Product Information

Application	WB, IHC-P, IHC-F, IP, ICC
Primary Accession	Q13509
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Monoclonal Antibody
Calculated MW	50433

Additional Information





Gene ID	10381
Other Names	TUBB3
Dilution	WB~~1/500-1/1000 IHC-P~~N/A IHC-F~~N/A IP~~1/20 ICC~~N/A
Format	Liquid

Protein Information

Name	TUBB3
Synonyms	TUBB4
Function	<p>Tubulin is the major constituent of microtubules, protein filaments consisting of alpha- and beta-tubulin heterodimers (PubMed:34996871, PubMed:38305685, PubMed:38609661). Microtubules grow by the addition of GTP-tubulin dimers to the microtubule end, where a stabilizing cap forms (PubMed:34996871, PubMed:38305685, PubMed:38609661). Below the cap, alpha-beta tubulin heterodimers are in GDP-bound state, owing to GTPase activity of alpha-tubulin (PubMed:34996871, PubMed:38609661). TUBB3 plays a critical role in proper axon guidance and maintenance (PubMed:20074521). Binding of NTN1/Netrin-1 to its receptor UNC5C might cause dissociation of UNC5C from polymerized TUBB3 in microtubules and thereby lead to increased microtubule dynamics and axon repulsion (PubMed:28483977). Plays a role in dorsal root ganglion axon projection towards the spinal cord (PubMed:28483977).</p>
Cellular Location	Cytoplasm, cytoskeleton. Cell projection, growth cone {ECO:0000250 UniProtKB:Q9ERD7}. Cell projection, lamellipodium {ECO:0000250 UniProtKB:Q9ERD7}. Cell projection, filopodium {ECO:0000250 UniProtKB:Q9ERD7}
Tissue Location	Expression is primarily restricted to central and peripheral nervous system.

Greatly increased expression in most cancerous tissues.

Images



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.