

# Phospho-CD18 (Ser745) Rabbit mAb

Catalog # AP75214

### **Product Information**

**Application** WB, IP **Primary Accession** P05107

**Reactivity** Human, Mouse, Rat

**Host** Rabbit

**Clonality** Monoclonal Antibody

Calculated MW 84791

## **Additional Information**

Gene ID 3689

Other Names ITGB2

**Dilution** WB~~1/500-1/1000 IP~~N/A

Format Liquid

#### **Protein Information**

Name ITGB2

Synonyms CD18, MFI7

**Function** Integrin ITGAL/ITGB2 is a receptor for ICAM1, ICAM2, ICAM3 and ICAM4.

Integrin ITGAL/ITGB2 is also a receptor for the secreted form of ubiquitin-like protein ISG15; the interaction is mediated by ITGAL (PubMed:29100055). Integrins ITGAM/ITGB2 and ITGAX/ITGB2 are receptors for the iC3b fragment of the third complement component and for fibrinogen. Integrin ITGAX/ITGB2

recognizes the sequence G-P-R in fibrinogen alpha-chain. Integrin

ITGAM/ITGB2 recognizes P1 and P2 peptides of fibrinogen gamma chain. Integrin ITGAM/ITGB2 is also a receptor for factor X. Integrin ITGAD/ITGB2 is a receptor for ICAM3 and VCAM1. Contributes to natural killer cell cytotoxicity (PubMed:15356110). Involved in leukocyte adhesion and transmigration of

leukocytes including T-cells and neutrophils (PubMed: 11812992,


PubMed:<u>28807980</u>). Triggers neutrophil transmigration during lung injury through PTK2B/PYK2-mediated activation (PubMed:<u>18587400</u>). Integrin ITGAL/ITGB2 in association with ICAM3, contributes to apoptotic neutrophil phagocytosis by macrophages (PubMed:<u>23775590</u>). In association with alpha subunit ITGAM/CD11b, required for CD177-PRTN3- mediated activation of

TNF primed neutrophils (PubMed:21193407).

**Cellular Location** Cell membrane; Single-pass type I membrane protein. Membrane raft;

Single-pass type I membrane protein

## **Images**



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.