

DcR2 Rabbit mAb

Catalog # AP75345

Product Information

ApplicationWB, IHC-PPrimary AccessionQ9UBN6ReactivityHumanHostRabbit

Clonality Monoclonal Antibody

Calculated MW 41849

Additional Information

Gene ID 8793

Other Names TNFRSF10D

Dilution WB~~1/500-1/1000 IHC-P~~N/A

Format 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40%Glycerol, 0.01% sodium azide and

0.05% BSA.

Protein Information

Name TNFRSF10D (HGNC:11907)

Function Receptor for the cytotoxic ligand TRAIL (PubMed: 9430226). Contains a

truncated death domain and hence is not capable of inducing apoptosis but protects against TRAIL-mediated apoptosis (PubMed:<u>9537512</u>). Reports are contradictory with regards to its ability to induce the NF-kappa-B pathway. According to PubMed:<u>9382840</u>, it cannot but according to PubMed:<u>9430226</u>, it can induce the NF-kappa-B pathway (PubMed:<u>9382840</u>, PubMed:<u>9430226</u>).


Cellular Location Membrane; Single-pass type I membrane protein


Tissue Location Widely expressed, in particular in fetal kidney, lung and liver, and in adult

testis and liver. Also expressed in peripheral blood leukocytes, colon and small intestine, ovary, prostate, thymus, spleen, pancreas, kidney, lung,

placenta and heart

Images





Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.