10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

DEK Rabbit mAb

Catalog # AP75349

Product Information

Application	WB, IHC-P, FC, IP
Primary Accession	P35659
Reactivity	Human
Host	Rabbit
Clonality	Monoclonal Antibody
Isotype	IgG
Conjugate	Unconjugated
Purification	Affinity Purified
Calculated MW	42674

Additional Information

Gene ID	7913
Other Names	DEK
Dilution	WB~~1:500-1:1000 IHC-P~~N/A FC~~1:200-1:500 IP~~1:20-1:50
Format	Liquid in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40%Glycerol, 0.01% sodium azide and 0.05% BSA.
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.


Protein Information

Name	DEK
Function	Involved in chromatin organization.
Cellular Location	Nucleus. Note=Enriched in regions where chromatin is decondensed or sparse in the interphase nuclei
Tissue Location	Ubiquitous. Expressed at relatively high levels.


Background


Involved in chromatin organization.


Images




Western blot analysis of DEK in K562, MCF-7, Hela lysates using DEK antibody.







Immunohistochemistry analysis of paraffin-embedded Human lung cancer using DEK antibody.High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.