

Phospho-Dishevelled 2 (Ser143) Rabbit mAb

Catalog # AP75359

Product Information

Application WB Primary Accession 014641

Reactivity Human, Mouse

Host Rabbit

Clonality Monoclonal Antibody

Calculated MW 78948

Additional Information

Gene ID 1856

Other Names DVL2

Dilution WB~~1/500-1/1000

Format Liquid

Protein Information

Name DVL2

Function Plays a role in the signal transduction pathways mediated by multiple Wnt

genes (PubMed: <u>24616100</u>). Participates both in canonical and non-canonical Wnt signaling by binding to the cytoplasmic C- terminus of frizzled family members and transducing the Wnt signal to down-stream effectors. Promotes internalization and degradation of frizzled proteins upon Wnt signaling.

Cellular Location Cell membrane {ECO:0000250 | UniProtKB:Q60838}; Peripheral membrane


protein {ECO:0000250 | UniProtKB:Q60838}; Cytoplasmic side

{ECO:0000250 | UniProtKB:Q60838}. Cytoplasm, cytosol. Cytoplasmic vesicle {ECO:0000250 | UniProtKB:Q60838}. Nucleus Note=Localizes at the cell

membrane upon interaction with frizzled family members and promotes their internalization. Localizes to cytoplasmic puncta (By similarity). Interaction with FOXK1 and FOXK2 induces nuclear translocation (PubMed:25805136) {ECO:0000250 | UniProtKB:Q60838, ECO:0000269 | PubMed:24616100,

ECO:0000269 | PubMed:25805136}

Images



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.