10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

Factor D Rabbit mAb

Catalog # AP75420

Product Information

Application	WB
Primary Accession	P00746
Reactivity	Human
Host	Rabbit
Clonality	Monoclonal Antibody
Isotype	IgG
Conjugate	Unconjugated
Purification	Affinity Purified
Calculated MW	27033

Additional Information

Gene ID	1675
Other Names	CFD
Dilution	WB~~1:500-1:1000
Format	Liquid in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40%Glycerol, 0.01% sodium azide and 0.05% BSA.
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.

Protein Information


Name	CFD (HGNC:2771)
Synonyms	DF, PFD
Function	Serine protease that initiates the alternative pathway of the complement system, a cascade of proteins that leads to phagocytosis and breakdown of pathogens and signaling that strengthens the adaptive immune system (PubMed:21205667, PubMed:22362762, PubMed:6769474, PubMed:874324, PubMed:9748277). In contrast to other complement pathways (classical, lectin and GZMK) that are directly activated by pathogens or antigen-antibody complexes, the alternative complement pathway is initiated by the spontaneous hydrolysis of complement C3 (PubMed:21205667, PubMed:22362762, PubMed:6769474, PubMed:874324). The alternative complement pathway acts as an amplification loop that enhances complement activation by mediating the formation of C3 and C5 convertases (PubMed:21205667, PubMed:22362762, PubMed:6769474, PubMed:874324). Activated CFD cleaves factor B (CFB) when the latter is complexed with

	complement C3b, activating the C3 convertase of the alternative pathway (PubMed:21205667, PubMed:6769474, PubMed:874324, PubMed:9748277).
Cellular Location	Secreted

Background

Factor D cleaves factor B when the latter is complexed with factor C3b, activating the C3bbb complex, which then becomes the C3 convertase of the alternate pathway. Its function is homologous to that of C1s in the classical pathway.

Images



Western blot analysis of Factor D in Hela lysates using Factor D antibody.

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.