

GABARAPL2 Rabbit mAb

Catalog # AP75468

Product Information

ApplicationWBPrimary AccessionP60520ReactivityHuman, RatHostRabbit

Clonality Monoclonal Antibody

Calculated MW 13667

Additional Information

Gene ID 11345

Other Names GABARAPL2

Dilution WB~~1/500-1/1000

Format 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40%Glycerol, 0.01% sodium azide and

0.05% BSA.

Protein Information

Name GABARAPL2 (HGNC:13291)

Synonyms FLC3A, GEF2

Function Ubiquitin-like modifier involved in intra-Golgi traffic (By similarity).

Modulates intra-Golgi transport through coupling between NSF activity and SNAREs activation (By similarity). It first stimulates the ATPase activity of NSF which in turn stimulates the association with GOSR1 (By similarity). Involved in autophagy (PubMed:20418806, PubMed:23209295). Plays a role in mitophagy which contributes to regulate mitochondrial quantity and quality by eliminating the mitochondria to a basal level to fulfill cellular energy requirements and preventing excess ROS production (PubMed:20418806, PubMed:23209295). Whereas LC3s are involved in elongation of the phagophore membrane, the GABARAP/GATE-16 subfamily is essential for a

later stage in autophagosome maturation (PubMed:20418806,

PubMed:23209295).

Cellular Location Cytoplasmic vesicle, autophagosome. Endoplasmic reticulum membrane.


Golgi apparatus {ECO:0000250 | UniProtKB:P60519}

Tissue Location Ubiquitous. Expressed at high levels in the brain, heart, prostate, ovary,

spleen and skeletal muscle. Expressed at very low levels in lung, thymus and

small intestine

Images



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.