

MST4 Rabbit mAb

Catalog # AP75744

Product Information

Application	WB, IHC-P, FC, IP
Primary Accession	Q9P289
Reactivity	Rat, Human, Mouse
Host	Rabbit
Clonality	Monoclonal Antibody
Isotype	IgG
Conjugate	Unconjugated
Purification	Affinity Purified
Calculated MW	46529

Additional Information

Gene ID	51765
Other Names	STK26
Dilution	WB~~1:1000-1:5000 IHC-P~~N/A FC~~1:100-1:1000 IP~~1:20-1:50
Format	Liquid in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40%Glycerol, 0.01% sodium azide and 0.05% BSA.
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.

Protein Information


Name	STK26 (HGNC:18174)
Function	Serine/threonine-protein kinase that acts as a mediator of cell growth (PubMed: 11641781 , PubMed: 17360971). Modulates apoptosis (PubMed: 11641781 , PubMed: 17360971). In association with STK24 negatively regulates Golgi reorientation in polarized cell migration upon RHO activation (PubMed: 27807006). Phosphorylates ATG4B at 'Ser- 383', thereby increasing autophagic flux (PubMed: 29232556). Part of the striatin-interacting phosphatase and kinase (STRIPAK) complexes. STRIPAK complexes have critical roles in protein (de)phosphorylation and are regulators of multiple signaling pathways including Hippo, MAPK, nuclear receptor and cytoskeleton remodeling. Different types of STRIPAK complexes are involved in a variety of biological processes such as cell growth, differentiation, apoptosis, metabolism and immune regulation (PubMed: 18782753).
Cellular Location	Cytoplasm. Golgi apparatus Note=Colocalized with RIPOR1 in the Golgi of serum-starved cells and relocated to cytoplasmic punctae, probably vesicular

compartments, along with RIPOR1 upon serum stimulation in a Rho- and PDCD10-dependent manner (PubMed:27807006).


Background

Mediator of cell growth (PubMed:11641781, PubMed:17360971). Modulates apoptosis (PubMed:11641781, PubMed:17360971). In association with STK24 negatively regulates Golgi reorientation in polarized cell migration upon RHO activation (PubMed:27807006).




Images







Western blot analysis of MST4 in K562, C6 lysates using MST4 antibody.



Immunocytochemistry analysis of MST4(green) in HeLa using MST4 antibody, and DAPI(blue)





Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.