

HSPA1A/HSPA1B Antibody (Y525)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP7574c

Product Information

Application WB, E Primary Accession P08107

Other Accession <u>Q27965</u>, <u>Q27975</u>

Reactivity Human
Predicted Bovine
Host Rabbit
Clonality Polyclonal
Isotype Rabbit IgG
Clone Names RB10997
Antigen Region 503-532

Additional Information

Other Names Heat shock 70 kDa protein 1A/1B, Heat shock 70 kDa protein 1/2,

HSP70-1/HSP70-2, HSP701/HSP702, HSPA1A, HSPA1, HSX70

Target/SpecificityThis HSPA1A/HSPA1B antibody is generated from rabbits immunized with a

KLH conjugated synthetic peptide between 503-532 amino acids from human

HSPA1A/HSPA1B.

Dilution WB~~1:1000 E~~Use at an assay dependent concentration.

Format Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide.

This antibody is purified through a protein A column, followed by peptide

affinity purification.

Storage Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store

at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions HSPA1A/HSPA1B Antibody (Y525) is for research use only and not for use in

diagnostic or therapeutic procedures.

Protein Information


Background

HSPA1A is a member of the heat shock protein 70 family. In conjunction with other heat shock proteins, this protein stabilizes existing proteins against aggregation and mediates the folding of newly translated proteins in the cytosol and in organelles. It is also involved in the ubiquitin-proteasome pathway through interaction with the AU-rich element RNA-binding protein 1.

References

Mueller, T., et al., Transplantation 78(2):292-295 (2004). Fekete, A., et al., Pediatr. Res. 54(4):452-455 (2003). Broquet, A.H., et al., J. Biol. Chem. 278(24):21601-21606 (2003). Bruce, C.R., et al., Diabetes 52(9):2338-2345 (2003). Anwar, A., et al., J. Biol. Chem. 277(16):14060-14067 (2002).

Images



Western blot analysis of HSPA1A (arrow) using rabbit polyclonal HSPA1A Antibody (Y525) (Cat.#AP7574c). 293 cell lysates (2 ug/lane) either nontransfected (Lane 1) or transiently transfected with the HSPA1A gene (Lane 2) (Origene Technologies).

Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.