

p73 Rabbit mAb

Catalog # AP75859

Product Information

ApplicationWB, IPPrimary AccessionO15350ReactivityHumanHostRabbit

Clonality Monoclonal Antibody

Calculated MW 69623

Additional Information

Gene ID 7161

Other Names TP73

Dilution WB~~1/500-1/1000 IP~~N/A

Format 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40%Glycerol, 0.01% sodium azide and

0.05% BSA.

Storage Store at 4°C short term. Aliquot and store at -20°C long term. Avoid

freeze/thaw cycles.

Protein Information

Name TP73

Synonyms P73

Function Participates in the apoptotic response to DNA damage. Isoforms containing

the transactivation domain are pro-apoptotic, isoforms lacking the domain are anti-apoptotic and block the function of p53 and transactivating p73 isoforms. May be a tumor suppressor protein. Is an activator of FOXJ1

expression (By similarity). It is an essential factor for the positive regulation of

lung ciliated cell differentiation (PubMed:34077761).

Cellular Location Nucleus. Cytoplasm. Note=Accumulates in the nucleus in response to DNA

damage

Tissue Location Expressed in striatal neurons of patients with Huntington disease (at protein

level). Brain, kidney, placenta, colon, heart, liver, spleen, skeletal muscle, prostate, thymus and pancreas Highly expressed in fetal tissue. Expressed in

the respiratory epithelium (PubMed:34077761).

Images



Please note: All products are 'FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES'.